


## Hydrochecks Series 43

Bore  $\varnothing$  40  
Skip-Stop function

The Series 43 hydrocheck units are available with two different types of control: regulated outward movement and fast return; or fast outward movement and regulated return. These hydrochecks come complete with an oil surge tank which ensures automatic equalization. Speed variation is obtained by means of an incorporated flow regulator designed to allow comprehensive and constant use. Upon request, they can be supplied with an incorporated stop valve or an acceleration valve or both.




### GENERAL DATA

Type of construction	with tie-rods
Operation	regulated thrust or return stroke
Controllable load	max. 500 kg (including inertia or moving masses)
Operating temperature	-10°C +70°C
Fluid	special hydraulic oil (contact our engineers)
Speed	minimum: 14mm/min maximum: 15 m/min (in non regulated direction)
Standard stroke	50, 100, 150, 200 (special stroke available on request)
Type of mounting	feet Mod. B-40 (see B-41-40 for dimensions)
Special designs	with STOP or SKIP and SKIP/STOP valve





**CODING FOR HYDROCHECK**



**Hydrocheck Mod. 43N-LTO-40...**

**DIMENSIONS**

Mod.	stroke mm	A	B	C	D
<b>43N-LTO-40...</b>	50-100	170	198	228	28
<b>43N-LTO-40...</b>	150-200	190	233	263	43





**Hydrocheck Mod. 43N-LTA-40...**

on request

**DIMENSIONS**

Mod.	stroke mm	A	B	C	D
<b>43N-LTA-40...</b>	50-100	170	198	228	28
<b>43N-LTA-40...</b>	150-200	190	233	263	43





**Hydrocheck Mod. 43N-LTV-40...**

on request

**DIMENSIONS**

Mod.	stroke mm	A	B	C	D
<b>43N-LTV-40...</b>	50-100	170	198	228	28
<b>43N-LTV-40...</b>	150-200	190	233	263	43





**Hydrocheck Mod. 43N-LTB-40...**

on request


**DIMENSIONS**

Mod.	stroke mm	A	B	C	D
<b>43N-LTB-40...</b>	50-100	170	198	228	28
<b>43N-LTB-40...</b>	150-200	190	233	263	43




A T O R S

Hydrocheck Mod. 43N-PTO-40




Hydrocheck Mod. 43N-PTA-40

On request.




Hydrocheck Mod. 43N-PTV-40

On request.




Hydrocheck Mod. 43N-PTB-40

On request.




Hydrocheck Mod. 43N-PSO-40




Hydrocheck Mod. 43N-PSA-40

On request.



Hydrocheck Mod. 43N-PSV-40

On request.



Hydrocheck Mod. 43N-PSB-40

On request.

